




Algorithmus von Bellman und Ford




D(s)	D(a)	D(b)	D(c)	D(d)	D(e)	D(f)
0	3(s)	∞	∞	∞	12(s)	9(s)




D(s)	D(a)	D(b)	D(c)	D(d)	D(e)	D(f)
0	3(s)	∞	∞	∞	12(s)	9(s)
0	3(s)	5(a)	12(f)	10(e)	10(f)	-1(a)



D(s)	D(a)	D(b)	D(c)	D(d)	D(e)	D(f)
0	3(s)	∞	∞	∞	12(s)	9(s)
0	3(s)	5(a)	12(f)	10(e)	10(f)	-1(a)
0	3(s)	5(a)	0(b)	1(f)	0(f)	-1(a)



D(s)	D(a)	D(b)	D(c)	D(d)	D(e)	D(f)
0	3(s)	∞	∞	∞	12(s)	9(s)
0	3(s)	5(a)	12(f)	10(e)	10(f)	-1(a)
0	3(s)	5(a)	0(b)	1(f)	0(f)	-1(a)
0	3(s)	5(a)	0(b)	-2(e)	0(f)	-1(a)



D(s)	D(a)	D(b)	D(c)	D(d)	D(e)	D(f)
0	3(s)	∞	∞	∞	12(s)	9(s)
0	3(s)	5(a)	12(f)	10(e)	10(f)	-1(a)
0	3(s)	5(a)	0(b)	1(f)	0(f)	-1(a)
0	3(s)	5(a)	0(b)	-2(e)	0(f)	-1(a)
0	3(s)	5(a)	0(b)	-2(e)	0(f)	-1(a)
0	3(s)	5(a)	0(b)	-2(e)	0(f)	-1(a)